

shaft.

7. (Amended) A stepping motor according to claim 5, further comprising a rotary polygon mirror secured to the rotating shaft which is rotatably provided through the cylindrical bearing holder vertically mounted on the base to which the stepping motor is mounted, which rotates along with the rotating shaft, the rotary polygon mirror provided on the outer periphery of the rotor yoke with each mirror surface corresponding to a magnetic pole of the rotor of the stepping motor.

Please add new claims 11-20 as follows:

--11. A stepping motor according to any one of claim 2, wherein the arc-shaped deformation preventing groove is provided along the circumference at the side end contacting the base to which the stepping motor is mounted.--

--12. A stepping motor according to any one of claim 3, wherein the arc-shaped deformation preventing groove is provided along the circumference at the side end contacting the base to which the stepping motor is mounted.--

--13. A stepping motor according to any one of claim 2, wherein the rotor is provided opposing the stator magnetic poles on a rotor yoke secured to the rotating shaft and a notch is provided in the rotor yoke in order to leak magnetism of the rotor, further comprising a leakage flux detector for detecting leaking magnetic flux from the rotor, the leakage flux detector provided in a position opposing the notch.--

--14. A stepping motor according to any one of claim 3, wherein the rotor is provided opposing the stator magnetic poles on a rotor yoke secured to the rotating shaft and a notch is provided in the rotor yoke in order to leak magnetism of the rotor, further comprising a leakage flux detector for detecting leaking magnetic flux from the rotor, the leakage flux detector provided in a position opposing the notch.--

--15. A stepping motor according to any one of claim 4, wherein

the rotor is provided opposing the stator magnetic poles on a rotor yoke secured to the rotating shaft and a notch is provided in the rotor yoke in order to leak magnetism of the rotor, further comprising a leakage flux detector for detecting leaking magnetic flux from the rotor, the leakage flux detector provided in a position opposing the notch.--

--16. A stepping motor according to any one of claim 2, further comprising a leakage flux detector for detecting changes in magnetic poles, the leakage flux detector provided on a cylinder end surface of a cylindrical permanent magnet provided in a cylindrical shape opposing the stator magnetic poles on the rotor yoke secured to the rotating shaft.--

--17. A stepping motor according to any one of claim 3, further comprising a leakage flux detector for detecting changes in magnetic poles, the leakage flux detector provided on a cylinder end surface of a cylindrical permanent magnet provided in a cylindrical shape opposing the stator magnetic poles on the rotor yoke secured to the rotating shaft.--

--18. A stepping motor according to any one of claim 4, further comprising a leakage flux detector for detecting changes in magnetic poles, the leakage flux detector provided on a cylinder end surface of a cylindrical permanent magnet provided in a cylindrical shape opposing the stator magnetic poles on the rotor yoke secured to the rotating shaft.--

--19. A stepping motor according to any one of claim 5, further comprising a leakage flux detector for detecting changes in magnetic poles, the leakage flux detector provided on a cylinder end surface of a cylindrical permanent magnet provided in a cylindrical shape opposing the stator magnetic poles on the rotor yoke secured to the rotating shaft.--

--20. A stepping motor according to claim 6, further comprising a rotary polygon mirror secured to the rotating shaft which is rotatably provided through the cylindrical

bearing holder vertically mounted on the base to which the stepping motor is mounted, which rotates along with the rotating shaft, the rotary polygon mirror provided on the outer periphery of the rotor yoke with each mirror surface corresponding to a magnetic pole of the rotor of the stepping motor.--

REMARKS

Claims 1 - 20 are pending. By this Preliminary Amendment, claims 4-7 are amended to remove multiple dependencies. Claims 11-20 are added to compensate for the material deleted from claims 4-7. Prompt and favorable examination on the merits is respectfully requested.

The attached Appendix includes marked-up copies of each rewritten claim (37 C.F.R. 1.121(c)(1)(ii)).

Respectfully submitted,

Thomas J. Pardini

James A. Oliff

Registration No. 27,075

Thomas J. Pardini

Registration No. 30,411

JAO:TJP/mlb

Attached: Appendix

Date: December 14, 2001

OLIFF & BERRIDGE, PLC
P.O. Box 19928
Alexandria, Virginia 22320
Telephone: (703) 836-6400

**DEPOSIT ACCOUNT USE
 AUTHORIZATION**

Please grant any extension
 necessary for entry;

Charge any fee due to our
 Deposit Account No. 15-0461